	Application No.	Applicant(s)
Notice of Allowability	10/524,779	GOODALL ET AL.
	Examiner	Art Unit
	Roy M. Punnoose	2886
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with to (OR REMAINS) CLOSED in the or other appropriate communicaling the communication is subject to the communication is subject to the contract of	is application. If not included cation will be mailed in due course. THIS
1. This communication is responsive to <u>amendment received on 01/16/2007</u> .		
2. The allowed claim(s) is/are <u>45-64</u> .		
 3. Acknowledgment is made of a claim for foreign priority unally All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 	e been received. e been received in Application N	√o
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1)	l.84(c)) should be written on the o	drawings in the front (not the back) of
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	F □ Notice of Infor	mal Patent Application
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Sum	
	Paper No./Ma	ail Date
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's An	nendment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material		atement of Reasons for Allowance
	9. Other	

Application/Control Number: 10/524,779

Art Unit: 2886

DETAILED ACTION

Response to Amendment

1. Applicant's amendment filed on 01/16/2007 is acknowledged and has been entered into the records. The Examiner has accepted the amended specification and the corrected drawings/replacement sheets. Claims 45-64 are pending in the application.

Allowable Subject Matter

- 2. Claims 45-64 are allowable.
- 3. Claim 45 is allowable because, prior art of record taken alone or in combination, fails to disclose or render obvious an apparatus comprising a light source providing a beam of substantially collimated light to a vessel comprising a wall and core adapted to contain a sample for detection and to define at least two spatially separated transmitted light paths that are coupled to individual detector locations on an array detector, in combination with the rest of the limitations of claim 45.

It is noted that the closest prior art to the applicant's claimed invention is CIBA GEIGY AG (EP 0616211 A). However CIBA GEIGY AG is silent on a light source providing a beam of substantially collimated light to a vessel and coupling transmitted light to individual detector locations on an array detector. With regard to the collimated beam, CIBA GEIGY AG teaches away from a light source providing a beam of substantially collimated light to a vessel as evidenced by Figure 3, which shows a divergent beam exiting the optical fiber and incident on the vessel wall.

4. Claims 46-64 are allowable because they are dependent on independent claims 45 or an intermediate claim, and they include all the allowable limitations of the parent claim(s).

Art Unit: 2886

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact/Status Information

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Roy M. Punnoose** whose telephone number is **571-272-2427**. The examiner can normally be reached on 9:00 AM - 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Tarifur Chowdhury** can be reached on **571-272-2287**. The fax phone number for the organization where this application or proceeding is assigned is **571-273-8300**.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

March 30, 2007

Roy M. Purnoose Patent Examiner Art Unit 2886